



**Spanish Fort
Fire Rescue**

7580 Spanish Fort Blvd
Spanish Fort, AL 36527
(251) 626-8876

REQUEST FOR BIDS

Project Description For bid is the construction of one all metal carport structure measuring 18 feet wide by 51 feet long with a 14 feet leg height. All site work will be completed by Spanish Fort Fire Rescue prior to installation. The following specification describe below are required.	Date 7/31/2018	
	Return No Later Than Noon On 8/17/2018	Ready for Installation Date Sep-18
	Please Complete This Inquiry And Return To The Above Address Attention : Roger Few	

BIDDERS Please Note - This is an Inquiry and NOT an Order

1. If you do not wish to quote on any items identified hereon, please write "cannot quote" across the form and return immediately.
2. No charge will be allowed for packing and crating unless specified in quotation.
3. Spanish Fort Fire and Rescue reserves the right to accept all or part of this Bid, or to decline all items quoted, at its discretion.
4. Any material purchased as a result of this Request For BID will be subject to the TERMS AND CONDITIONS AGREED UPON BETWEEN BUYER AND WINNING BIDDER.
5. Once awarded the bid the winning bidder must be able start construction within 30 days of contract.

Quantity	Unit	Specifications
1	Each	<ul style="list-style-type: none"> * Building Width 18 Feet * Roof Length 51 Feet * Frame Lenth 50 Feet * Leg Height 14 Feet * Truss type shall be certified for 140 MPH Wind Load * 29 Guage Sheet Metal <ul style="list-style-type: none"> * Sheet Metal Color to be determined * 14 Guage Frame Components * Engineered Drawing * Engineered Anchor System * Limited Lifetime Warranty * Vertical Roof Style * Enclose Both Sides * Enclose Both Ends * Install one 12 feet X 12 feet Roll up Door * Install one walk in Door 3 feet x 7 feet

Date Out for Bid	Bidders Quotation No.	Total Net Quotation
Quotation Firm until (Date)	Invoice Terms	Bidder's Signature
If Ordered All Items Will Be Shipped F.O.B. :	On or Before	_____